



Premier Vinyl Windows. . . Built for a Lifetime



ELITE 4000 Series

Uncompromising performance.
Classic beauty.

Visit [Targetwindowsanddoors.com](https://www.targetwindowsanddoors.com) for more information.



A LIFETIME INVESTMENT

The Elite Window

- A lifetime warranty, including glass breakage
- A lifetime investment for savings on utility costs and energy
- A lifetime of noise reduction in your home
- A lifetime of easy maintenance and beautiful appearance
- Lifetime protection for your home with heavier, stronger profiles to withstand more wind and rain
- One of the strongest rated replacement windows in the market with a rating up to DP-60

A lifetime of making your home a better place.

Elite Windows & 4000 Series

Elite 4000 Double-Hung

- 1 Combination Stepped/Sloped Sill** reduces air infiltration while allowing water run-off; Up to Structural Grade 60 Rating
- 2 Dual, Spring-Loaded Night Latches** allow ventilation while deterring forced entry
- 3 Interlocking Meeting Rails with Dual Finned Weatherstrip** reduces air infiltration and increases security
- 4 Tilt-In Sashes** allow for easy glass cleaning from inside the home
- 5 Three Finned Weatherstrip Seals** where Sashes meet Frame
- 6 Four Finned** weatherstrip seals at sill
- 7 Heavy-Duty Non-Corrosive Die-Cast Cam Locks** easy to operate; draws sashes tightly together
- 8 Concealed Sash Balance System** is quiet, smooth operating, and allows for easy raising, lowering and tilting sashes



Elite 4500 Casement

- A Multi-Point Locking System** provides extra security and draws sash up tight
- B Sashes Crank out a Full 90** allows for easy cleaning from inside the home
- C Triple-Seal System** between Sash and Frame offers superior thermal efficiency
- D Heavy-Duty, Non-Corrosive Die-Cast Hardware** has a streamlined appearance and is easy to operate
- E Hinges are Field Adjustable** to prevent sash sag
- F Concealed hinges and Crank Mechanism** gives a clean, sleek appearance. Egress hardware optional
- G Standard Folding Handle** prevents interference with blinds

Choose your own personal touch

Exterior Colors

WHITE	SANDSTONE	FOREST GREEN
COCOA BROWN	MUSKET BROWN	BRONZE
BEIGE	CREAM	BURGUNDY
GRAY	GRANITE GRAY	BLACK


NOTE: Unlimited Custom Colors are available.

All Painted Colors above are available with a White, Beige, or Clay Vinyl Interior or with any of the 3 Designer Woodgrain Foiled Interiors shown below.

IRISH OAK	MEDIUM OAK	SOFT CHERRY
-----------	------------	-------------


We recommend viewing an actual color sample before making your final selection.

Mutin Bar Options Mounted between glass panes for easy cleaning



Triple Glazing

Provides the Ultimate Level of Energy Efficiency, Noise and Condensation Protection. Target's Triple Glaze is the superior industry leading glass option for your home.



POWER PACK - 2 Lites of Superior LowE Glass & 1 Clear / 2 Dead Air Spaces filled with Argon.

LowE 366 / Argon Glass is Standard with NEAT Coating



LowE/366 Glass from Cardinal offers the ultimate glass performance by delivering the ideal balance of solar control, energy savings and high visibility, making it the perfect glass no matter where you live. Your home stays cooler in the summer and warmer in the winter.

NEAT Coating harnesses the sun's UV rays to loosen dirt so water can rinse it away, leaving windows virtually spotless. Your windows stay clean longer and clean easier.

Enjoy the View!

Elite 4000 Double-Hung



THE DESIGN

of the Double-Hung combines great looks with first class performance, offering you a dramatic upgrade as replacement windows or initial elegance for your new home.

The Double-Hung design lets in all the light for a clear, bright view.

ELITE WINDOWS

- **Lifetime Warranty is the best available** and is transferable to second property owner.
- **Multi-Chambered, Fusion-Welded Frame and Sash** provides superior air tightness, thermal resistance, noise reduction and strength
- **Heavy-Duty, Solid Vinyl Construction** .080" - .085" wall thickness
- **European-Designed, Low-Maintenance uPVC Profiles**, Smoothest surface finish in the industry resists staining and looks new for years
- **1" insulating Glass with Warm Edge Perimeter Seal** Energy Saving Low E with Argon Gas Fill
- **Snap-In Glazing Bead with Co-Extruded Seal** provides a seamless sash to the outside elements and allows for easy glass replacement from inside the home



THE ELITE SLIDER

2-Panel Slider and 3-Panel Slider feature beveled outer frames for a softer appearance. A continuous handle rail and tandem rollers allow sashes to open and close easily.



PICTURE WINDOWS & SHAPES

bring in the light and enhance your view of the world with the many shapes and sizes of the Elite Picture Window.

DOUBLE-HUNG // CASEMENT

Bay & Bow Windows

ADD SPACE & VALUE

to your home with an eye catching Elite Bay Window Double-Hung or Casement model. The large center section gives an expansive view and the birch or red oak seat board provides the beauty of natural wood.



EQUAL LITE CASEMENTS

and Picture Windows offer the gentle curve of an Elite Bow Window. The sweeping, panoramic view adds distinctive style and beauty to your home. Available in multiple sections.

THE SMOOTH

operating Elite 4500 Casement has a multi-point locking system for greater security and superior air tightness. Corrosion resistant gearing provides years of worry free operation.




THE ELITE

4560 Awning Window tilts outward at the bottom allowing ventilation even on wet, rainy days. Awnings can be mulled to other window styles for creative ventilation solutions.

Glass

Recognized by Intertek as one of the lowest Argon loss widows in the industry over a 20 year period.




Cardinal LoE2-272® is a previous-generation glass coating that provides great solar heat gain protection and a low U-Factor, bringing interior comfort for all seasons. It renders a slightly higher visible light transmittance than LoE2-270 glass.

3/4" Dual Pane with 3mm Glass • 1" Triple Pane with 3mm Glass • 90% Argon

Center-of-Glass Performance		VISIBLE LIGHT		FADING		SHGC	U-FACTOR	
		Transmission	Exterior	UV	ISO		Air Fill	Argon Fill
							IP / SI	IP / SI
Triple Panel Dual Pane	▶ LoE ² -272 / Clear	72%	11%	16%	55%	0.41	0.30 / 1.69	0.25 / 1.43
	▶ LoE ² -272 / LoE-i89	70%	11%	16%	55%	0.41	0.23 / 1.33	0.20 / 1.15
	▶ LoE ² -272 / Clear / LoE-180	63%	15%	8%	44%	0.37	0.16 / 0.92	0.13 / 0.73
	▶ LoE ² -272 / LoE-180 / LoE-i89	62%	15%	8%	43%	0.36	0.14 / 0.80	0.11 / 0.65

LBNL Window 7 per NFRC100 conditions. LoE3-366 is intended for the 2nd surface on an insulating glass unit.




Cardinal LoE3-366® glass offers optimal solar control and high visibility, ensuring year-round comfort and energy savings. Its advanced triple-layer coating provides exceptional heat rejection and fading protection without compromising the view, making it the most popular LoE product.

3/4" Dual Pane with 3mm Glass • 1" Triple Pane with 3mm Glass • 90% Argon

Center-of-Glass Performance		VISIBLE LIGHT		FADING			U-FACTOR	
		Transmission	Exterior	UV	ISO	SHGC	Air Fill	Argon Fill
							IP / SI	IP / SI
Triple PaneDual Pane	▶ LoE ³ -366 / Clear	65%	11%	5%	43%	0.27	0.29 / 1.65	0.24 / 1.37
	LoE ³ -366 / LoE-i89	63%	11%	5%	42%	0.27	0.23 / 1.30	0.20 / 1.11
	▶ LoE ³ -366 / Clear / LoE-180	57%	15%	2%	36%	0.24	0.16 / 0.90	0.13 / 0.72
	▶ LoE ³ -366 / LoE-180 / LoE-i89	56%	15%	2%	35%	0.24	0.14 / 0.73	0.11 / 0.63

LBNL Window 7 per NFRC100 conditions. LoE3-366 is intended for the 2nd surface on an insulating glass unit.



Cardinal LoE-i89™ is our advanced room-side coated glass offering enhanced energy efficiency. This innovative glass significantly lowers U-Factor, especially when paired with our LoE™ coatings. Its easy-to-clean, haze-free design ensures clear views, reducing the need for triple-pane windows for energy-saving compliance. LoE-i89 reflects internal heat back into the room, optimizing warmth and comfort.

3/4" Dual Pane with 3mm Glass • 1" Triple Pane with 3mm Glass • 90% Argon


Center-of-Glass Performance		VISIBLE LIGHT		FADING		U-FACTOR		
		Transmission	Exterior	UV	ISO	SHGC	Air Fill	Argon Fill
							IP / SI	IP / SI
Dual Pane	▶ Clear / LoE-180	79%	15%	29%	63%	0.69	0.31 / 1.74	0.26 / 1.49
	▶ LoE-180 / LoE-i89	79%	15%	27%	61%	0.62	0.24 / 1.37	0.21 / 1.19
	▶ LoE3-366 / Clear	65%	11%	5%	43%	0.27	0.29 / 1.65	0.24 / 1.37
	▶ LoE3-366 / LoE-i89	63%	11%	5%	42%	0.27	0.23 / 1.30	0.20 / 1.11
Triple Pane	▶ LoE3-366 / Clear / LoE-180	57%	15%	2%	36%	0.24	0.16 / 0.90	0.13 / 0.72
	▶ LoE3-366 / LoE-180 / LoE-i89	56%	15%	2%	35%	0.24	0.14 / 0.78	0.11 / 0.63

Duralite®



Duralite is an insulating glass edge seal system constructed using a unique Composite Laminating Technology. Duralite is preassembled with proven components, sealant, spacer and desiccant to create a high-performance durable single seal spacer system.

ARGON PERMEABILITY

Duralite has one of the best argon resistant bondline adhesives to retain argon in your window longer and save more energy. This is vital to the window maintaining its thermal performance from day one – to many years down the road.




DURALITE IMPROVES THE TOTAL WINDOW U-FACTOR





ELITE 4000 Series

Windows Styles & Options



Colors: White, Beige, Clay, Black Foil, Custom

Glazing: Clear, 272, 366, 189 Low E, Obscure, Tempered, Obscure Rain

Screen Mesh: Charcoal Fiberglass, BetterVue, or Charcoal Aluminum

INSULATED GLASS



Warm Edge Perimeter Spacer

Best warm edge technology available! Comes standard on all Elite 4000 windows.



Energy Saving Low-E Glass

High-Performance glass saves energy and provides greater interior comfort.



Thermally Efficient Gas Fills

Greatly enhances insulation factor! Reduces fuel bills and helps keep home quieter.



Family Owned Since 1978

A Partnership in Quality Home Improvements