On-Trend Indoor and Outdoor Lighting for Professionals

PL901

ProLine by VAXCEL

Builders, contractors and developers have always been key lighting showroom customers. Many lighting and home décor retailers have dedicated sales teams for their professional customers. To better support these dedicated pro sales teams and customers, **Vaxcel is excited to launch a new product line focused on professionals, ProLine by Vaxcel.**

Under this new brand, we'll be offering a unique blend of hand-picked residential and light commercial products geared towards home building and remodeling professionals. These on-trend indoor and outdoor products are designed specifically to meet the styling, pricing and volume needs of professional customers. No matter the project these lights will be only offered by Vaxcel through our ProLine channel.

The ProLine by Vaxcel offering will be regularly updated with new products. You'll be notified whenever the ProLine catalog has been refreshed. This digital-only catalog will be accessible at www.vaxcel.com/proline.

To learn more details or how to become a ProLine by Vaxcel reseller, please contact our VP of Channel Success, Tim Foster at tfoster@vaxcel.com.

A

B

C

REF	MODEL	WIDTH	HEIGHT	DEPTH	WIRE	CHAIN / ROD	BULBS	FINISH	GLASS	DETAILS
A	H0207	20"W	11-1/2"H	20"D	6'	4'	5-60 (M)	Oil Rubbed Bronze and Burnished Teak	--	ST45 Bulbs Not Included
B	C0189	13"W	6-1/4"H	13"D	--	--	2-60 (M)	Oil Rubbed Bronze and Burnished Teak	--	ST64 Bulbs Not Included
C	H0208	35"W	18"H	9-1/4"D	6'	4'	4-60 (M)	Oil Rubbed Bronze and Burnished Teak	--	ST64 Bulbs Not Included

A

REF	MODEL	WIDTH	HEIGHT	DEPTH	WIRE	CHAIN / ROD	BULBS	FINISH	GLASS	DETAILS
A	H0197	18"W	33"H	--	6'	4'	6-60 (C)	Oil Burnished Bronze	--	--

A

REF	MODEL	WIDTH	HEIGHT	DEPTH	WIRE	CHAIN / ROD	BULBS	FINISH	GLASS	DETAILS
A	H0200	22"W	24"H	--	6'	4'	5-60 (M)	Oil Rubbed Bronze	Clear	Dry Locations; ST64 Bulbs Included

A

REF	MODEL	WIDTH	HEIGHT	DEPTH	WIRE	CHAIN / ROD	BULBS	FINISH	GLASS	DETAILS
A	H0206	22"W	24-1/2"-53-3/4"H	22"D	6'	4'	5-60 (M)	Dark Bronze	--	ST64 Bulbs Not Included; Adjustable Cord Length to 48"

A

B

REF	MODEL	WIDTH	HEIGHT	DEPTH	WIRE	CHAIN / ROD	BULBS	FINISH	GLASS	DETAILS
A	H0209	19"W	19-1/2"H	19"D	6'	(2) 12" & (2) 6"	3-60 (C)	Satin Nickel	Clear Cotswold	--
B	H0210	18"W	19-1/2"H	18"D	6'	(2) 12" & (2) 6"	4-60 (M)	Silver Leaf	Clear Textured Disc	--

A

REF	MODEL	WIDTH	HEIGHT	DEPTH	WIRE	CHAIN / ROD	BULBS	FINISH	GLASS	DETAILS
A	P0251	14"W	39"H	--	36-1/2"	(3) 9-1/2"	2-100 (M)	Silver Leaf	Frosted Glass Diffuser	Cream Linen Shade

A

B

C

D

REF	MODEL	WIDTH	HEIGHT	DEPTH	WIRE	CHAIN / ROD	BULBS	FINISH	GLASS	DETAILS
A	W0291	5"W	7-3/4"H	8-1/4"D	--	--	1-100 (M)	Satin Nickel	Frosted Opal	
B	W0292	15-1/4"W	7-3/4"H	8-1/4"D	--	--	2-100 (M)	Satin Nickel	Frosted Opal	
C	W0293	22"W	7-3/4"H	8-1/4"D	--	--	3-100 (M)	Satin Nickel	Frosted Opal	
D	W0294	30-1/4"W	7-3/4"H	8-1/4"D	--	--	4-100 (M)	Satin Nickel	Frosted Opal	

= Reversible = CUL Listed for Damp Locations

A

B

C

D

E

REF	MODEL	WIDTH	HEIGHT	DEPTH	WIRE	CHAIN / ROD	BULBS	FINISH	GLASS	DETAILS
A	W0296	5-3/4"W	9"H	6-3/4"D	--	--	1-60 (M)	Chrome	Etched White	
B	W0297	15"W	9-1/4"H	8-1/4"D	--	--	2-60 (M)	Chrome	Etched White	
C	W0298	23"W	9-1/4"H	8-1/4"D	--	--	3-60 (M)	Chrome	Etched White	
D	W0299	32"W	9-1/4"H	8-7/8"D	--	--	4-60 (M)	Chrome	Etched White	
E	W0287	38"W	9-1/4"H	10-1/4"D	--	--	5-60 (M)	Chrome	Etched White	

= Reversible = CUL Listed for Damp Locations

A

B

C

D

REF	MODEL	WIDTH	HEIGHT	DEPTH	WIRE	CHAIN / ROD	BULBS	FINISH	GLASS	DETAILS
A	W0295	6"W	7-1/2"H	6-3/8"D	--	--	1-60 (M)	Oil Rubbed Bronze	Alabaster	Dry Locations; On/Off Switch
B	W0290	5-1/2"W	8-3/4"H	5-3/4"D	--	--	1-60 (M)	Satin Nickel	Frosted	Dry Locations; On/Off Switch
C	W0289	22-1/2"W	6-1/2"H	6-1/2"D	--	--	3-100 (M)	Satin Nickel	Etched White	
D	W0288	38"W	9-1/2"H	9-1/2"D	--	--	5-60 (M)	Dark Bronze	Etched White	

= Reversible = CUL Listed for Damp Locations

A

B

LED

REF	MODEL	WIDTH	HEIGHT	DEPTH	BULBS	LUMENS	FINISH	DIFFUSER	DETAILS
A	C0188	9-1/4"W	4-1/2"H	9-1/4"D	16W LED	990	Brushed Nickel	White Plastic	4000K CCT, CRI≥90, Dimmable, Dry Rated
B	C0187	9-1/4"W	4-1/2"H	9-1/4"D	16W LED	990	Bronze	White Plastic	4000K CCT, CRI≥90, Dimmable, Dry Rated

Effective Lumens provided for all LED products
[measure of overall light output through shade or diffuser]

A

B

LED

REF	MODEL	WIDTH	HEIGHT	DEPTH	BULBS	LUMENS	FINISH	DIFFUSER	DETAILS
A	X0115	12"W	3/8"H	1-1/4"D	5.1W LED	306	Satin Nickel	Frosted	3000K CCT, CRI≥90, 12" Linking Cable, Direct Connect Joiner Included, 10' 24W Driver Adapter
B	X0114	20"W	3/8"H	1-1/4"D	7.6W LED	460	Satin Nickel	Frosted	3000K CCT, CRI≥90, 12" Linking Cable, Direct Connect Joiner Included, 10' 24W Driver Adapter

Effective Lumens provided for all LED products
[measure of overall light output through shade or diffuser]

A

B

LED

REF	MODEL	WIDTH	HEIGHT	DEPTH	BULBS	LUMENS	FINISH	DIFFUSER	DETAILS
A	C0192	24"W	1-1/2"H	5"D	24W LED	1800	White	White Plastic	4000K CCT, CRI≥90, Non-Dimmable
B	C0191	48"W	1-1/2"H	5"D	48W LED	3800	White	White Plastic	4000K CCT, CRI≥90, Non-Dimmable

Effective Lumens provided for all LED products
[measure of overall light output through shade or diffuser]

A

LED

REF	MODEL	WIDTH	HEIGHT	DEPTH	BULBS	LUMENS	FINISH	DIFFUSER	DETAILS
A	H0205	48"W	2-1/4"H	8-1/2"D	70W LED	4800	Silver	White Plastic	4000K CCT, CRI≥90, 8-1/4' Cord Length/Plug-in; 28" Adjustable Height; Pull Chain; Non-Dimmable

Effective Lumens provided for all LED products
[measure of overall light output through shade or diffuser]

A

B

LED

REF	MODEL	WIDTH	HEIGHT	DEPTH	BULBS	LUMENS	FINISH	DIFFUSER	DETAILS
A	T0432	7-3/4"W	8-3/4"H	6-1/2"D	16W LED	1200	White	Frosted	5000K CCT, CRI≥80, Detection Angle: 180°, Range: 20-40'; Dusk-to-Dawn Motion Sensor
B	T0433	7-3/4"W	8-3/4"H	6-1/2"D	16W LED	1200	Bronze	Frosted	5000K CCT, CRI≥80, Detection Angle: 180°, Range: 20-40'; Dusk-to-Dawn Motion Sensor

= CETL Listed for Wet Locations

U.S. Patents: D765901

Effective Lumens provided for all LED products
[measure of overall light output through shade or diffuser]

A

B

C

REF	MODEL	WIDTH	HEIGHT	DEPTH	BULBS	FINISH	GLASS	DETAILS
A	T0428	12"W	5"H	--	2-60W(M)	Oil Rubbed Bronze	Clear Seeded	☂
B	T0426	5-1/2"W	10-1/2"H	7-1/4"D	1-60W(M)	Oil Rubbed Bronze	Clear Seeded	Center of mount to top is 4"
C	T0427	7-1/2"W	14"H	8-1/2"D	1-100W(M)	Oil Rubbed Bronze	Clear Seeded	Center of mount to top is 4-1/4"

☂ = *CETL Listed for Damp Locations* = CETL/CSGS Listed for Wet Locations

A

B

C

REF	MODEL	WIDTH	HEIGHT	DEPTH	BULBS	FINISH	GLASS	DETAILS
A	T0431	5-3/4"W	12-1/8"H	6-3/4"D	11W LED	Rustic Bronze	Clear Seeded	Center of mount to top is 2-1/2", 600 Lumens, 3000K, CRI>=80
B	T0430	5-1/2"W	13-3/8"H	6-1/4"D	1-60W(M)	White	Clear	Center of mount to top is 8"
C	T0429	5-1/2"W	13-3/8"H	6-1/4"D	1-60W(M)	Black	Clear	Center of mount to top is 8"

= CETL Listed for Wet Locations

Effective Lumens provided for all LED products
[measure of overall light output through shade or diffuser]

dualux® / DUAL-LEVEL TECHNOLOGY

Get style, convenience, security, and efficiency with dualux® outdoor light fixtures from Vaxcel. Using patented energy-saving dualux® technology at dusk, the fixture automatically dims to provide soft, ambient illumination until dawn. But, rest assured knowing whenever motion is detected, on-demand bright illumination will be triggered to keep your property safe and secure.

Continuous Dim Light to:
- Accent home's architecture
- Avoid disturbing neighbors

On Demand Bright Light for:
- Arriving home late at night
- Discouraging unwanted visitors



AT DUSK, Photocell turns on the light automatically.

AT DAWN, Light shuts off automatically.

DAYTIME
(Light is Off)

5-Year Limited Warranty

A

B

ADJUSTABLE LOW-LEVEL

dualux

REF	MODEL	WIDTH	HEIGHT	DEPTH	BULBS	FINISH	GLASS	DETAILS
A	T0434	8"W	13-1/2"H	9-1/2"D	1-60W(M)	Metallic Bronze	Clear Seeded	Detection Angle: 180°, Range 5-40' Center of mount to top is 3-1/2"
B	T0435	6-1/2"W	16-3/8"H	7-3/4"D	1-60W(M)	Textured Black	Clear Seeded	Detection Angle: 180°, Range 5-40' Center of mount to top is 7"

= CETL Listed for Wet Locations

U.S. Patents: 8310163, 9326362, 9551481

Lights shown on this page are compatible with incandescent and halogen bulbs, and most dimmable LED bulbs. Bulbs not included.

ProLine
by VAXCEL

Vaxcel International Co., Ltd.
121 E. North Avenue
Carol Stream, IL 60188, USA
PH 630 682 8767
FX 630 682 8850
www.vaxcel.com